## ecostrad



## iQ Plus Electric Panel Heater

The Ecostrad iQ Plus packs a wealth of smart heating features into a streamlined contemporary body. With full WiFi control, LST capability, voice control via Alexa, and your pick of heating modes, it's never been easier to tailor your heating to your needs. Wall mount or use free-standing with the included feet.



Ultra-Slim Design



WiFi Ready



Low Surface Temperature Mode



Rapid Convection Heating



Voice Control Compatible



10 Year Warranty



- Ultra-Slim 52mm Profile
- In-Built WiFi Connectivity
- Rapid Convection Heating
- Silent TRIAC Thermostat
- Discreet, Lockable Control Panel
- Adjustable LST Setting
- Alexa Voice Control
- Daily & Weekly Programming
- Comfort, Eco & Anti-Frost Modes
- Open Window Detection

- Boost Mode
- Lightweight, Contemporary Design
- DIY Installation
- Wall Mounted or Free-Standing
- Feet for Portable Use Included

## **Technical Details**

| Materials      | Aluminium body, plastic feet   |  |  |  |
|----------------|--|--|--|--|
| Colours        | White, Pantone 656 U, gloss  |  |  |  |
| Cable          | 1.6m with fitted plug, right side  |  |  |  |
| Installation   | Wall mounted with brackets included. Freestanding with feet included.  Not suitable for bathrooms. |  |  |  |
| Voltage        | 230V, 50Hz   |  |  |  |
| Protection     | IP20, Class I  |  |  |  |
| Warranty       | 10 years on radiator body, 2 years on electronics  |  |  |  |
| Certifications | UK   |  |  |  |



## iQ Plus Models Available

| Size                  | iQ-P5    | iQ-P10   | iQ-P15   | iQ-P20   | iQ-P25   |
|-----------------------|----------|----------|----------|----------|----------|
| SKU                   | 12502154 | 12502155 | 12502156 | 12502157 | 12502158 |
| Wattage (w)           | 500      | 1000     | 1500     | 2000     | 2500     |
| Width (mm)            | 467      | 629      | 955      | 1118     | 1280     |
| Height (mm)           | 500      | 500      | 500      | 500      | 500      |
| Depth (mm)            | 52       | 52       | 52       | 52       | 52       |
| Fitted Depth (mm)     | 77       | 77       | 77       | 77       | 77       |
| Front Panels          | 2        | 3        | 5        | 6        | 7        |
| Product Weight (kg)   | 4.8      | 6.1      | 8.87     | 10.2     | 11.65    |
| Room Size - Max (m²)* | 5        | 10       | 15       | 20       | 25       |
| Room Size - Min (m²)* | 3.5      | 7        | 10.5     | 14       | 17.5     |

<sup>\*</sup> Please note – stated heating areas are approximate, based on usage of the heater at full temperature capacity. If the temperature limit setting is used, effective heating areas will be reduced.