



Fina-E Thermostatic

Electric Towel Rails

Fina-E thermostatic electric towel rails are designed for easy heating control and have a timeless appearance that will complement any bathroom or en suite. Their thermostatic element lets you choose a precise room temperature for total comfort and comes in a range of different sizes and outputs to suit every space.



Energy-Efficient
Thermal Fluid



Straight Rung
Ladder Design



Simple, Intuitive
Control



5 Year
Guarantee



- Thermostatic Temperature Setting
- Multiple Finishes Available
- Energy-Efficient Thermal Fluid
- Straight Rung Ladder Design
- IP44 Protection Rating
- Thermo-Fused for Safety
- Set Temperature Display
- Integrated 1-5 Hour Timer
- Simple LED Display
- Standby Mode
- 5 Year Manufacturer's Warranty
- Elegant Bathroom Heating

Technical Details

Design	Bar profile: 23x23mm. Steel.
Colours	Chrome, White (RAL 9016), Black (RAL 9005), Anthracite (RAL 7946).
Models	Straight, Curved.
Element	Ecostrad Digital element, pre-fitted. 1.5m cable, right side. All straight rail models can be reversed so that the cable is on the left. Element could also be moved to left side by an electrician.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz.
Protection	IP44, Class I.
Warranty	5 years on towel rail body, 2 years on element.
Certifications	CE UK CA

Fina-E Thermostatic Models Available

Size	FE-T-20-C	FE-T-30-C	FE-T-30-CC	FE-T-40-C	FE-T-40-W	FE-T-30-A	FE-T-20-A-58	FE-T-30-B	FE-T-40-B	FE-T-40-A	FE-T-20-A-47	FE-T-15-W
SKU	12501353	12501343	12501352	12501847	12501351	12501452	12502227	12502228	12502229	12502230	12502232	12502233
Style	Chrome	Chrome	Curved Chrome	Chrome	White	Anthracite	Anthracite	Black	Black	Anthracite	Anthracite	White
Element Colour	Chrome	Chrome	Chrome	Chrome	White	Anthracite	Anthracite	Black	Black	Anthracite	Anthracite	White
Bars	14	23	23	30	23	23	15	23	21	21	14	14
Wattage (w)	200	300	300	400	400	300	200	300	400	400	200	150
Width (mm)	400	500	500	500	500	500	500	500	500	500	400	400
Height (mm)	700	1100	1100	1500	1100	1100	800	1100	1200	1200	700	700
Depth (mm)	30	30	50	30	30	30	30	30	30	30	30	30
Fitted Depth (mm)	79	79	79	79	79	79	79	79	79	79	79	79
Product Weight (kg)	8.2	12.5	12.5	13.5	12.5	12.5	6.7	12.04	8.2	8.2	8.2	7.9
Room Size - Max (m ²)	2.5	3.5	3.5	5	3.5	3.5	2.5	3.5	4	4	2.5	1.5
Room Size - Min (m ²)	1.5	2.5	2.5	3.5	2.5	2.5	1.5	2.5	3	3	1.5	1
IP Rating	IP44	IP44	IP44	IP44	IP44	IP44	IP44	IP44	IP44	IP44	IP44	IP44